

CERTIFICATE FOR ENERGY AUDIT

o((())ee((())ee((())ee((())ee((())ee((())ee((())ee((())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(())ee(()

Certificate Number: PSQC9051

This is to certify that, we have conducted a detailed **ENERGY AUDIT** in **Narayana Pharmacy**College situated at Chinthareddypalem, Nellore, Andhra Pradesh – 524 003 during 20 July 2022 (for the academic year 2021-2022). The Audit team has identified 10 Energy Conservation Proposals (ENCONs) and summary of the energy audit is given below.

Description/Year	2021-2022			
Annual Electricity Consumption (kWh)	2,47,364 kWh			
Summary of Energy Con	servation (ENCO	N) Proposals		
Description	Parameters			
*	Present	After	Savings	
Annual Energy Consumption	2,47,364 kWh	2,10,260 kWh	37,105 kWh	
Annual Energy Cost	21.76 lakhs	18.50 lakhs	3.26 lakhs	
Simple Payback Period	100 ME 100	Seek Angle State	1.5 years	

Equipment's/Systems Audited

Electrical System	Thermal System	
Electrical System & Network	Diesel generators, pumps and motors	
Lighting, Fan & Air Conditioning System	Inverter, UPS and Battery System	
Rooftop solar PV plant		

The detailed Energy Conservation Proposals are presented in the Audit Report.

Authorized Auditor

G. Nemez

Mr. G. ARIVARASAN

BEE Certifled Energy Auditor (EA-21875) Lead auditor Enms ISO 50001 & Lead Auditor EMS ISO 14001

G. ARIVARASAN

BEE Certified Energy Auditor (EA-21875) Lead Auditor—ISO 14001, EMS

P S QUALITY CERTIFICATION PVT. LTD.

(Consultancy - Accreditation & Certification) Auditing & Training

E-mail: info@psqualitycertifications.com

Web Site: www.psqualitycertifications.com

CIN: U74999TN2020PTC138625

PRINCIPAL

NARAYANA PHARMACY COLLEGE

NELLORE - 524 002



CERTIFICATE FOR ENVIRONMENTAL AUDIT

) ec ()

Certificate Number: PSQC9052

This is to certify that, we have conducted an ENVIRONMENTAL AUDIT in Narayana Pharmacy

College situated at Chinthareddypalem, Nellore, Andhra Pradesh – 524 003 during 20 July 2022 (for the academic year 2021-2022). This Audit highlights the energy balance sheet indicating various energy carriers associated with the regular activities of the college and their CO₂ mapping.

Environmental System: CO₂ Balance Sheet (2021-2022)

Ralan	Total Emission nce CO ₂ to be Neutralized		202.84	Total Neutralized 194.45 Tons/Annum		8.39
1	Lieutius Litergy	Matured Trees		385 Nos.		
4	Electrical Energy	2,47,364 kWh	202.84			
S.No	Description	Annual Usage	CO ₂ Emission (Tons/Annum)	Description	Annual Usage	CO ₂ Emission (Tons/Annum)
,	Energy Consumption & CO ₂ Emission		CO ₂ Neutralization			

(Calculated based on the weighted average of total strength of students, teaching and technical staff = 626)

System Audited

Electricity consumption	Usage of Chemical, Salts, Acids & Cleaning Agents			
Rooftop solar PV plant	Solid and E-waste Handling & Management			
RO and water distribution system				

The detailed environmental aspects & impacts are presented in the Audit Report.

Authorized Auditor

Mr. G. ARIVARASAN
BEE Certified Energy Auditor (EA-21875)

Lead auditor Enms ISO 50001 & Lead Auditor EMS ISO 14001

G. ARIVARASAN

BEE Certified Energy Auditor (EA-21875) Lead Auditor – ISO 14001, EMS

P S QUALITY CERTIFICATION PVT. LTD.

(Consultancy - Accreditation & Certification) Auditing & Training

E-mail: info@psqualitycertifications.com

Web Site: www.psqualitycertifications.com

CIN: U74999TN2020PTC138625

PRINCIPAL

NARAYANA PHARMACY COLLEGE NELLORE - 524 002



GREEN AUDIT

() so ()

Certificate Number: PSQC 9050

This is to certify that, we have conducted a *GREEN AUDIT* in Narayana Pharmacy College situated at Chinthareddypalem, Nellore, Andhra Pradesh – 524 003 during 20 July 2022 (for the academic year 2021-2022). The Audit investigates the following activities.

- 1. Coverage of matured trees (nearly 385 trees available in the college campus)
- 2. Future expansion of thermal energy system for regular activities
- 3. Evaluation of solid, liquid and e-waste management system
- 4. Identification of expansion of green coverage for planting more trees
- 5. Evaluation of water distribution network

The detailed campus Greenery Coverage and initiatives are presented in the Audit Report.

Authorized Auditor

Mr. G. ARIVARASAN

BEE Certified Energy Auditor (EA-21875) Lead auditor Enms ISO 50001 & Lead Auditor EMS ISO 14001

G. ARIVARASAN

BEE Certified Energy Auditor (EA-21875) Lead Auditor – ISO 14001, EMS

P S QUALITY CERTIFICATION PVT. LTD.

(Consultancy - Accreditation & Certification) Auditing & Training

E-mail: info@psqualitycertifications.com Web Site: www.psqualitycertifications.com

CIN: U74999TN2020PTC138625

PRINCIPAL
NARAYANA PHARMACY COLLEGE
NELLORE - 524 002